

Cardiovasc Pathol. 2012 Jul 4. [Epub ahead of print]

Altered collagen expression in jugular veins in multiple sclerosis.

Coen M, Menegatti E, Salvi F, Mascoli F, Zamboni P, Gabbiani G, Bochaton-Piallat ML.

<http://www.ncbi.nlm.nih.gov/pubmed/22770861>

Funct Neurol. 2012 Jan-Mar;27(1):55-9.

Venous angioplasty in multiple sclerosis: neurological outcome at two years in a cohort of relapsing-remitting patients.

Salvi F, Bartolomei I, Buccellato E, Galeotti R, Zamboni P.

<http://www.ncbi.nlm.nih.gov/pubmed/22687168>

BMC Neurol. 2012 May 15;12(1):26. [Epub ahead of print]

Clinical correlates of chronic cerebrospinal venous insufficiency in multiple sclerosis.

Weinstock-Guttman B, Ramanathan M, Marr K, Hojnack D, Benedict RH, Morgan C, Yeh EA, Carl E, Kennedy C, Reuther J, Brooks C, Hunt K, Elfadil M, Andrews M, Zivadinov R.

<http://www.ncbi.nlm.nih.gov/pubmed/22587224>

Neurology April 25, 2012; 78(Meeting Abstracts 1):

A Pathologic Evaluation of Chronic Cerebrospinal Venous Insufficiency (CCSVI)

Claudiu Diaconu, Susan Staugaitis, Jennifer McBride, Cynthia Schwanger, Alexander Rae-Grant and Robert Fox

http://www.neurology.org/cgi/content/meeting_abstract/78/1_MeetingAbstracts/P05.125?sid=8aab17ea-c79c-417d-87d6-cf1c8d9dad24

J Vasc Surg. 2012 Apr 20. [Epub ahead of print]

Assessment of cerebral venous return by a novel plethysmography method.

Zamboni P, Menegatti E, Conforti P, Shepherd S, Tessari M, Beggs C.

<http://www.ncbi.nlm.nih.gov/pubmed/22521804>

AJNR Am J Neuroradiol. 2012 Apr 19. [Epub ahead of print]

Extracranial Venous Drainage Patterns in Patients with Multiple Sclerosis and Healthy Controls.

McTaggart RA, Fischbein NJ, Elkins CJ, Hsiao A, Cutalo MJ, Rosenberg J, Dake MD, Zaharchuk G.

<http://www.ncbi.nlm.nih.gov/pubmed/22517280>

Vasc Med. 2012 Apr 10. [Epub ahead of print]

Vasc Med. 2012 Jun;17(3):131-7. Epub 2012 Apr 10.

Endovascular correction of cerebrovenous anomalies in Multiple Sclerosis: A retrospective

review of an uncontrolled case series.

Dake MD, Dantzker N, Bennett WL, Cooke JP.

<http://www.ncbi.nlm.nih.gov/pubmed/22496109>

Curr Neurovasc Res. 2012 Apr 4. [Epub ahead of print]

Multigate Quality Doppler Profiles and Morphological/Hemodynamic Alterations in Multiple Sclerosis Patients.

Ciccone MM, Galeandro AI, Scicchitano P, Zito A, Gesualdo M, Sassari M, Cortese F, Dachille A, Carbonara R, Federico F, Livrea P, Trojano M.

<http://www.ncbi.nlm.nih.gov/pubmed/22475396>

Radiology. 2012 Mar;262(3):947-55.

Multiple sclerosis: cerebral circulation time.

Mancini M, Morra VB, Di Donato O, Maglio V, Lanzillo R, Liuzzi R, Salvatore E, Brunetti A, Iaccarino V, Salvatore M.

<http://www.ncbi.nlm.nih.gov/pubmed/22357894>

EuroRad (2012, Mar 5).

Ultrasonic evaluation of internal jugular veins in multiple sclerosis.

Oreste D, Pavone S

<http://www.eurorad.org/case.php?id=9897>

Phlebology. 2012 Feb 22. [Epub ahead of print]

Neck duplex Doppler ultrasound evaluation for assessing chronic cerebrospinal venous insufficiency in multiple sclerosis patients.

Zaniewski M, Kostecki J, Kuczmik W, Ziaja D, Opala G, Swiat M, Korzeniowski T, Majewski E, Urbanek T, Pawlicki K.

<http://www.ncbi.nlm.nih.gov/pubmed/22357458>

J Vasc Interv Radiol. 2012 Jan;23(1):60-8.e1-3.

Patients with multiple sclerosis with structural venous abnormalities on MR imaging exhibit an abnormal flow distribution of the internal jugular veins.

Haacke EM, Feng W, Utriainen D, Trifan G, Wu Z, Latif Z, Katkuri Y, Hewett J, Hubbard D.

<http://www.ncbi.nlm.nih.gov/pubmed/22221473>

Funct Neurol. 2011 Oct-Dec;26(4):197-203.

Prevalence of extracranial venous abnormalities: results from a sample of 586 multiple sclerosis patients.

Simka M, Latacz P, Ludyga T, Kazibudzki M, Swierad M, Janas P, Piegza J.

<http://www.ncbi.nlm.nih.gov/pubmed/22364940>

J Vasc Interv Radiol. 2012 Jan;23(1):55-9. Epub 2011 Nov 15.

Safety of endovascular treatment of chronic cerebrospinal venous insufficiency: a report of 240 patients with multiple sclerosis.

Mandato KD, Hegener PF, Siskin GP, Haskal ZJ, Englander MJ, Garla S, Mitchell N, Reutzell L, Doti C.

<http://www.ncbi.nlm.nih.gov/pubmed/22088659>

BMC Neurol. 2011 Oct 26;11:132.

Chronic cerebrospinal venous insufficiency in multiple sclerosis: clinical correlates from a multicentre study.

Bastianello S, Romani A, Viselner G, Tibaldi EC, Giugni E, Altieri M, Cecconi P, Mendozzi L, Farina M, Mariani D, Galassi A, Quattrini C, Mancini M, Bresciamorra V, Lagace A, McDonald S, Bono G, Bergamaschi R.

<http://www.ncbi.nlm.nih.gov/pubmed/22029656>

BMC Neurol. 2011 Oct 19;11:128.

Decreased brain venous vasculature visibility on susceptibility-weighted imaging venography in patients with multiple sclerosis is related to chronic cerebrospinal venous insufficiency.

Zivadinov R, Poloni GU, Marr K, Schirda CV, Magnano CR, Carl E, Bergsland N, Hojnacki D, Kennedy C, Beggs CB, Dwyer MG, Weinstock-Guttman B.

<http://www.ncbi.nlm.nih.gov/pubmed/22011402>

CMAJ. 2011 Nov 8;183(16):E1203-12. Epub 2011 Oct 3.

Association between chronic cerebrospinal venous insufficiency and multiple sclerosis: a meta-analysis.

Laupacis A, Lillie E, Dueck A, Straus S, Perrier L, Burton JM, Aviv R, Thorpe K, Feasby T, Spears J.

<http://www.ncbi.nlm.nih.gov/pubmed/21969411>

Georgian Med News. 2011 Oct;(199):29-34.

Endovascular treatment of patients with chronic cerebrospinal venous insufficiency and multiple sclerosis.

Kipshidze N, Rukhadze I, Archvadze A, Kipiani V, Kipshidze N, Lapiashvili E, Kaloiani V.

<http://www.ncbi.nlm.nih.gov/pubmed/22155803>

PLoS One. 2011;6(9):e25012. Epub 2011 Sep 22.

Quantitative Colour Doppler Sonography evaluation of cerebral venous outflow: a comparative study between patients with multiple sclerosis and controls.

Monti L, Menci E, Olivelli M, Cerase A, Bartalini S, Piu P, Marotti N, Leonini S, Galluzzi P, Romano DG, Casasco AE, Venturi C.

<http://www.ncbi.nlm.nih.gov/pubmed/21966398>

Phlebology. 2011 Sep 8. [Epub ahead of print]

Morphological and haemodynamic abnormalities in the jugular veins of patients with multiple sclerosis.

Radak D, Kolar J, Tanaskovic S, Sagic D, Antonic Z, Mitrasinovic A, Babic S, Nenezic D, Ilijevski N.

<http://www.ncbi.nlm.nih.gov/pubmed/21903685>

Acta Phlebologica 2011 August;12(2):109-13

Venous extracranial Duplex ultrasound and possible correlations between multiple sclerosis and CCSVI: an observational study after 560 exams

Bavera P. M., Mendozzi L., Cavarretta R., Agus G.B.

<http://www.minervamedica.it/en/journals/acta-phlebologica/article.php?cod=R43Y2011No2A0109>

Eur J Vasc Endovasc Surg. 2012 Jan;43(1):116-22. Epub 2011 Aug 11.

Venous angioplasty in patients with multiple sclerosis: results of a pilot study.

Zamboni P, Galeotti R, Weinstock-Guttman B, Kennedy C, Salvi F, Zivadinov R.

<http://www.ncbi.nlm.nih.gov/pubmed/21839654>

AJNR Am J Neuroradiol. 2011 Sep;32(8):1482-9. Epub 2011 Jul 14.

Comparison of MR and contrast venography of the cervical venous system in multiple sclerosis.

Zaharchuk G, Fischbein NJ, Rosenberg J, Herfkens RJ, Dake MD.

<http://www.ncbi.nlm.nih.gov/pubmed/21757521>

J Neurol Neurosurg Psychiatry 28 April 2011

Anatomical stenosis of the internal jugular veins : supportive evidence of chronic cerebrospinal venous insufficiency?

Andrea Baiocchi, MD Raffaele Toscano, Wilfredo von Lorch and Franca Del Nonno

http://jnnp.bmj.com/content/82/4/355.extract/reply#jnnp_el_7244

Neurology. 2011 Jul 12;77(2):138-44. Epub 2011 Apr 13.

Prevalence, sensitivity, and specificity of chronic cerebrospinal venous insufficiency in MS.

Zivadinov R, Marr K, Cutter G, Ramanathan M, Benedict RH, Kennedy C, Elfadil M, Yeh AE, Reuther J, Brooks C, Hunt K, Andrews M, Carl E, Dwyer MG, Hojnacki D, Weinstock-Guttman B.

<http://www.ncbi.nlm.nih.gov/pubmed/21490322>

Acta Neurol Taiwan. 2011 Mar;20(1):15-21.

Jugular venous reflux could influence cerebral blood flow: a transcranial Doppler study.

Wu IH, Sheng WY, Hu HH, Chung CP.

<http://www.ncbi.nlm.nih.gov/pubmed/21249580>

Phlebological Review 2011; 19(1):9-14

Early results of a prospective open-label study on endovascular treatments for chronic cerebrospinal venous insufficiency in the patients with associated multiple sclerosis

Tomasz Ludyga, Marek Kazibudzki, Paweł Latacz, Marcin Świerad, Jacek Piegza, Marcin Hartel, Ewa Kluczevska, Marian Simka

<http://journals.indexcopernicus.com/abstracted.php?level=5&icid=935588>

Int Angiol. 2010 Apr;29(2):115-20.

Internal jugular vein morphology and hemodynamics in patients with multiple sclerosis.

Al-Omari MH, Rousan LA.

<http://www.ncbi.nlm.nih.gov/pubmed/20351667>

Int Angiol. 2010 Apr;29(2):109-14.

Extracranial Doppler sonographic criteria of chronic cerebrospinal venous insufficiency in the patients with multiple sclerosis.

Simka M, Kostecki J, Zaniwski M, Majewski E, Hartel M.

<http://www.ncbi.nlm.nih.gov/pubmed/20351666>

J Vasc Surg. 2009 Dec;50(6):1348-58.e1-3.

A prospective open-label study of endovascular treatment of chronic cerebrospinal venous insufficiency.

Zamboni P, Galeotti R, Menegatti E, Malagoni AM, Giancesini S, Bartolomei I, Mascoli F, Salvi F.

<http://www.ncbi.nlm.nih.gov/pubmed/19958985>

J Neurol Neurosurg Psychiatry. 2009 Apr;80(4):392-9. Epub 2008 Dec 5.

Chronic cerebrospinal venous insufficiency in patients with multiple sclerosis.

Zamboni P, Galeotti R, Menegatti E, Malagoni AM, Tacconi G, Dall'Ara S, Bartolomei I, Salvi F.

<http://www.ncbi.nlm.nih.gov/pubmed/19060024>

Testo di Alessandro Rasman

<http://mediterraneanews.org/2012/07/ecco-gli-studi-che-confermano-la-teoria-di-zamboni-sulla-ccsvi-nella-sclerosi-multipla/>

